Author Index to Volume 46

References with (A) are to abstracts of papers presented at meetings of the Physical Society. References with (L) are to Letters to the Editor.

Adel, Arthur. Vibrational isotope effects in three particle systems. Part II—222

——— **and V. M. Slipher.** Concerning the carbon dioxide content of the atmosphere of the planet Venus—240(L)

——— **and V. M. Slipher.** Constitution of the atmospheres of the giant planets—902

——— **and V. M. Slipher.** On the identification of the methane bands in the solar spectra of the major planets —240(L)

Agruss, M. (see Grosse, A. v.)—241(L)

Albers, V. M. (see Knorr, H. V.)—336(A)

——— **and H. V. Knorr.** Fluorescence and photodecomposition in solutions of chlorophyll *a*—336(A)

Anderson, Carl D. and Seth H. Neddermeyer. Energy-loss and the production of secondaries by cosmic-ray electrons—325(A)

Anderson, O. E. Hyperfine structure in the arc spectrum of lanthanum—325(A)

——— Nuclear magnetic moment of lanthanum—473

Applegate, Lindsay M. (see Soltau, David L.)—32

Arvin, M. J. (see Loomis, F. W.)—286

Baade, W. and F. Zwicky. Remarks on super-novae and cosmic rays—76(L)

Babcock, Harold D. Wave numbers of infrared spectral lines beyond λ10,000—382

——— (see Russell, Henry Norris)—826(L)

Bacher, Robert F. Survey of experimental hyperfine structure material. Values of nuclear magnetic moments and a discussion of their origin—340(A) (Title only)

——— **and S. Goudsmit.** Atomic energy relations. I—948

Badger, Richard M. Remarks on the band spectrum of sulfur and the statistics of the sulfur nucleus—1025(L)

Balamuth, Lewis. Erratum. New method for measuring elastic moduli and the variation with temperature of the principal Young's modulus of rocksalt between 78°K and 273°K—933

Ballard, Stanley S. Nuclear mechanical moment of columbium—327(A)

——— Nuclear moments of columbium from hyperfine structure—806

——— Nuclear spin of columbium—233(L)

Band, William. Transition in aluminum at 79°C—934(L)

Barker, E. F. (see Nielsen, A. H.)—970

——— (see Sleator, W. W.)—336(A)

Barnes, B. T. (see Forsythe, W. E.)—339(A)

Barnes, S. W. (see Richtmyer, F. K.)—352; 843

Barnett, S. J. Some remarkable multiple sunset flashes in Southern California—75(L)

Barrows, W. M. and J. B. Green. Zeeman effect of the spectra of arsenic—335(A)

Bartlett, James H., Jr. Negative protons in the nucleus?—435(L)

Barton, Vola P. and Geo. A. Lindsay. Dependence of secondary structure in x-ray absorption on crystal form —362

Beams, J. W. (see Flowers, J. W.)—338(A)

Bear, Richard S. (see Spedding, Frank J.)—308; 975

Bearden, J. A. (see Gottling, P. F.)—435(L)

——— (see Wheeler, J. A.)—755

——— **and C. H. Shaw.** Absolute x-ray wave lengths by refraction in quartz—759

Beeck, Otto. Existence of a sharp temperature threshold for catalytic decomposition of molecules on a hot platinum surface and the nature of this decomposition—331(A)

Benz, Carl A. and G. W. Stewart. Cybotactic condition of isopentane in the region of the critical point—703

Berkey, Donald K. Comments on letter of R. J. Stephenson —74(L)

Birge, Raymond T. (see Deming, W. Edwards)—1027(L)

Bjorksted, William (see Whitaker, M. D.)—629(L)

Bleakney, Walker, G. P. Harnwell, W. Wallace Lozier, Philip T. Smith and H. D. Smyth. Production and identification of helium of mass three—81(L)

Bless, A. A. Variation of the dielectric constant of a viscous dielectric with temperature and with frequency—340(A)

Blewett, J. P. (see Smyth, H. D.)—276

Bloch, F. Contribution to the theory of the Compton-line— 674

Bock, C. D. (see Zeleny, J.)—318(L)

Boeker, G. F. (see Wills, A. P.)—907

Bonner, Lyman G. Vibrational spectrum of water vapor— 458

Bonner, T. W. and L. M. Mott-Smith. Energy spectra of the neutrons from the disintegration of fluorine, boron and beryllium by alpha-particles—258

Boorse, Henry A. Magnetic double refraction in liquids— 187

Boucher, P. E. (see Griffith, M. F.)—341(A)

Bowen, I. S. Singlet lines of Cl IV—377

——— Spectra of potassium, K IV and K V, and of calcium Ca V and Ca VI—791

———, **R. A. Millikan and H. Victor Neher.** Very high altitude survey of the effect of latitude upon cosmic-ray intensities and an attempt at a general interpretation of cosmic-ray phenomena—641

Boyce, J. C. Spectra of neon in the extreme ultraviolet—378

Bozorth, R. M. Theory of the heat treatment of magnetic materials—232(L)

——— (see McKeehan, L. W.)—527(L)

Bradley, Charles A., Jr. (see McKellar, Andrew)—664

——— **and Andrew McKellar.** On the photographic infrared absorption spectrum of mono-deutero acetylene— 236(L)

——— **and Andrew McKellar.** On the photographic infrared vibration-rotation spectrum of mono-deutero acetylene—341(A)

Brady, James J. Energy distribution of photoelectrons as a function of the thickness of a potassium film—768
Bramley, Arthur. Annihilation of the proton—438(L)
Brandt, W. H. (see Loomis, F. W.)—79(L)
Brasefield, C. J. (see Zeleny, J.)—318(L)
Breit, G. Nuclear stability and isotope shift—319(L)
——— Theory of the effect of a nuclear moment on the state of the atom—340(A) (Title only)
——— **and I. S. Lowen.** Radiation damping and the polarization of fluorescence radiation—590
——— **and I. I. Rabi.** On the interpretation of present values of nuclear moments—230(L)
——— **and John A. Wheeler.** Collision of two light quanta —1087
——— **and F. L. Yost.** Capture of charged particles by nuclei due to emission of gamma-radiation—1110(L)
Brewer, A. Keith and P. D. Kueck. Relative abundance of the isotopes of lithium, potassium and rubidium—894
Brewington, G. P. Secondary structure of x-ray absorption edges from elements in certain cubic crystals—861
Bridgman, P. W. Melting parameters of nitrogen and argon under pressure, and the nature of the melting curve—930
Brinsmade, J. B. Honors work in physics at Williams College—939(A) (Title only)
Broxon, James W. (see Jordan, A. R.)—66
Buchta, J. W. (see Goetz, A.)—538(L)
——— **and A. Goetz.** Thermal expansion of bismuth single crystals near the melting point—1092
Bullard, Persis (see McDowell, Louise S.)—939(A)
Byrne, J. F. (see Myers, F. E.)—777

Cady, Willoughby M. Second-order calculation of H_e I $2s2p\ ^{1,3}P$—439(L)
Carpenter, David W. and Walter M. Nielsen. Effect of temperature and pressure on the mercury afterglow—607
Carr, Laurence H. *L* absorption discontinuities of bismuth —92
Cerwin, Stephen S. Sparking potentials at low pressures—1054
Chaffee, Milton A. (see Livingston, M. Stanley)—330(A)
Cheng, Y. F. Polarization of general x-radiation from thick targets—243
Cinnamon, C. A. Thermal resistivity and the Wiedemann-Franz ratio of single crystal zinc—215
Claus, W. D. (see Jauncey, G. E. M.)—941
Coates, Wesley M. Production of x-rays by swiftly moving mercury ions—542
——— (see Sloan, David H.)—539
Cohen, Victor W. Nuclear spin of caesium—713
——— (see Rabi, I. I.)—707
Cohn, Willi M. Investigations of the polarization and the spectrum of the sky light during the total solar eclipses of August 31, 1932, at Gray, Me., and February 14, 1934, at Losap Islands, in the South Seas—328(A)
Colby, M. Y. and Sidon Harris. X-ray study of a long x-cut quartz crystal vibrating under the transverse piezoelectric effect—445
Compton, Karl T. Scientific problems of the nation—939(A) (Title only)
Copeland, Paul L. Correlation between variation of secondary electron emission and atomic number—167
Copley, M. J. and T. E. Phipps. Reflection coefficient of electrons—144(L)
Cox, R. T. (see Myers, F. E.)—777
Cram, S. Winston. Molecular spectrum of cadmium vapor —205
Crane, H. R. (see Lauritsen, C. C.)—537(L)
———, **L. A. Delsasso, W. A. Fowler and C. C. Lauritsen.** High energy gamma-rays from lithium and fluorine bombarded with protons—531(L)
———, **L. A. Delsasso, W. A. Fowler and C. C. Lauritsen.** Gamma-rays from boron bombarded with deutons—1109(L)
Cravath, Austin M. Further studies on the motion of photoelectrons in a gas—323(A)
——— Terminal energy distribution of electrons driven through a gas by an electric field—332(A)
Crawford, F. H. and T. Jorgensen, Jr. Band spectra of LiH, LiD and NaD—939(A)
——— **and T. Jorgensen, Jr.** Band spectrum of LiH and LiD—746(L)
——— **and P. M. Tsai.** Note on new bands of ionized nitrogen molecule—935(L)
Crawley, C. B. (see Houston, W. V.)—329(A)
Cross, Paul C. Structure of the hydrogen sulfide molecule from a new vibration-rotation band at 10,100A—536(L)
Curtis, Roger W. Experimental determination of ultrasonic absorption and reflection coefficients in air and in carbon dioxide—811

Dahl, O. (see Tuve, M. A.)—1027(L)
Dahlstrom, R. K. and Jos. E. Henderson. Changes in the energy distribution of thermionically emitted electrons produced by high electrical fields—323(A)
Danforth, W. E. Concerning the recovery time of Geiger-Mueller counters—1026(L)
Davis, H. M. (see Glockler, George)—535(L)
Delsasso, L. A. (see Crane, H. R.)—531(L), 1109(L)
Deming, W. Edwards and Raymond T. Birge. On the statistical theory of Errors—1027(L)
Dempster, A. J. Emission of ions and electrons from heated sources—165
——— Sparking potentials at low pressures—728
Dershem, Elmer. Proposed high resolving power x-ray grating spectrometer—337(A)
Dickinson, Beryl H. Specific isotope effect in the hyperfine spectrum of the lead atom—598
Dix, C. H. Electrons and positrons—329(A)
Doan, G. E. and A. M. Thorne. Arcs in inert gases. II—49
Doan, Richard L. Curved-crystal x-ray spectrograph and demountable secondary-radiation tube for analytical work—337(A)
DuBridge, L. A. (see Smith, R. E.)—339(A)
——— **and A. G. Hill.** Energy distribution of photoelectrons from sodium and the photoelectric determination of h/e—339(A)
Duffendack, O. S. and J. H. Manley. Action cross section in collisions of the second kind—336(A)

——— **and J. S. Owens.** Quenching of mercury resonance radiation by hydrogen, carbon monoxide and nitrogen—417

DuMond, Jesse W. M. and Bernard B. Watson. Curved quartz crystal x-ray spectrograph—316(L)

Dunham, Theodore, Jr. Use of Schmidt cameras in plane grating spectrographs—326(A)

Dunnington, Frank G. Establishment of a precision high frequency standard capable of delivering considerable power—331(A)

Dushman, Saul. Relationship of science and industry—939(A) (Title only)

Eastman, E. D. Energy of removal of neutrons and alpha-particles from nuclei and alpha-instability below the radio-elements—238(L)

——— Energy and stability related to composition of atomic nuclei—1

——— Heights of nuclear potential barriers—744(L)

Eaton, William W. (see Pollard, Ernest)—528(L)

Eckart, Carl. Kinetic energy of polyatomic molecules—383

Ellett, Alexander. Measurement of nuclear moments and spin through the polarization of resonance radiation—340(A) (Title only)

——— **and N. P. Heydenburg.** Nuclear magnetic moments from the polarization of resonance radiation. Sodium, $3^2S_{1/2}-4^2P_{3/2,\,1/2}$—583

Ellis, C. B. Simplified interval sorter for spectral analysis—341(A)

Elmore, W. C. (see McKeehan, L. W.)—226(L); 529(L)

Evans, Robley D. Improved technique for determination of radon and radium in liquids—328(A)

——— Ionization currents produced by radon, Ra A and Ra C′ in cylindrical ionization chambers—937(A)

——— Thermionic pentode controlled constant-voltage rectifiers—324(A)

Fender, F. G. and J. P. Vinti. Doubly-excited states in helium—77(L)

Finkelnburg, Wolfgang. Continuous electron radiation in flames and arcs—330(A)

——— Spectra of O_4 and other polyatomic polarization molecules—326(A)

Fitzgerald, Sister M. Ambrosia and R. A. Sawyer. Fifty-three electron spectra of caesium and barium: Cs III and Ba IV—576

Flowers, J. W. and J. W. Beams. Initiation of discharges in ion free gases—338(A)

Focke, Alfred B. Segregation of polonium in bismuth crystals—623

Forsythe, W. E. and B. T. Barnes. Energy distribution in the spectrum of some incandescent lamps—339(A)

Fowler, R. Dudley and G. E. Gibson. Production of intense beams of positive ions—1075

Fowler, W. A. (see Crane, H. R.)—531(L), 1109(L)

Fox, Marvin (see Millman, Sidney)—320(L)

Fredrickson, W. R. and Martin E. Hogan, Jr. Ultraviolet bands of beryllium chloride—454

Freed, Simon. On the velocity of light—1025(L)

Froman, Darol K. (see Stearns, J. C.)—535(L)

Furry, W. H. Approximate wave functions for high energy electrons in Coulomb fields—391

Gamow, George. General nuclear problem—340(A) (Title only)

Gans, David M. (see Harkins, William D.)—397; 827(L)

Gibbs, R. C. (see Ruedy, J. E.)—880

Gibson, G. E. (see Fowler, R. Dudley)—1075

——— **and Angus Macfarlane.** Absorption spectrum of arsenic—1059

Gingrich, N. S. (see Warren, B. E.)—368

——— **and B. E. Warren.** Interpretation of x-ray diffraction patterns of a fluid at various densities—248

Glockler, George. Estimated electron affinities of the light elements—111

——— **and H. M. Davis.** Acetylene bond frequency in heavy acetylene (C_2D_2)—535(L)

——— **and Charles Morrell.** Fundamental frequencies of acetylene—233(L)

Goble, A. T. Four vector problem and intensities in platinum-like spectra—334(A)

Goetz, Alexander (see Buchta, J. W.)—1092

——— (see Wolf, Alexander)—1095

———, **J. W. Buchta and T. L. Ho.** Thermal expansions of alloyed Bi crystals in the region of the eutectic melting point—538(L)

Goldsmith, H. H. Disintegration of H^3 and the stellar abundance of H^2 and H^3—78(L)

Gottling, P. F. and J. A Bearden. Ruled grating wave-length of the copper $K\alpha_1$-line—435(L)

Goudsmit, S. (see Bacher, R. F.)—948

Granath, L. P. and R. K. Stranathan. Magnetic moment of caesium determined from the hyperfine structure of the $6p\ ^2P_{1/2}$ state—317(L)

Green, J. B. (see Barrows, W. M.)—335(A)

——— **and R. A. Loring.** Paschen-Back effect. II. *JJ*-coupling (approx.)—335(A); 888

Griffith, M. F. and P. E. Boucher Behavior of photovoltaic cells under x-radiation—341(A)

Grosse, A. v. and M. Agruss. Chemistry of element 93 and Fermi's discovery—241(L)

Guernsey, Marjorie L. Spectrum of gallium oxide—114

Hagen, J. P. (see Van Dyke, K. S.)—939(A)

Hahn, T. M. Absorption of monochromatic x-rays of short wave-length—149

Hall, Harvey and William Rarita. On the photoelectric effect for the *L*-shell—143(L)

Hall, Leo G. Rectifying effect in chrome cast iron—1109(L)

Halpern, Otto and Em. Wasser. Direct experimental test of the principle of spectroscopic stability—177

Hanson, Isabel. Intensity measurements in the Raman spectrum of carbon dioxide—122

Hare, Donald G. (see Kirkpatrick, Paul)—831

Harkins, William D. and David M. Gans. Artificial radioactivity and the conversion of kinetic into γ-ray energy associated with nuclear disintegration by neutrons—827(L)

Harkins, William D. and David M. Gans. Inelastic collisions with changes of mass and the problem of nuclear disintegration with capture or non-capture of a neutron or another nuclear projectile—397
Harnwell, G. P. (see Bleakney, Walker)—81(L)
———, **H. D. Smyth and Wm. D. Urry.** Purification and spectroscopic evidence for He_2^3—437(L)
Harris, Sidon (see Colby, M. Y.)—445
Hartree, D. R. Approximate wave functions and atomic field for mercury—738
Harvey, G. G. Effect of pressure on the intensity of x-rays scattered from nitrogen at small angles—441
———, **P. S. Williams and G. E. M. Jauncey.** Quantitative test of the Waller-Hartree theory of x-ray scattering applied to the diffuse scattering from crystals—365
Heaps, C. W. Discontinuities of magnetoresistance—1108 (L)
Hebb, M. H. (see Van Vleck, J. H.)—17; Errata—929
Heil, L. M. Calculation of mass scattering coefficients—58
Heller, Gabriel and Lloyd Motz. Averages over portions of configuration space—502
Henderson, Jos. E. (see Dahlstrom, R. K.)—323(A)
Henderson, M. C. Amplifier and recording apparatus for alpha-particles, high speed protons and neutrons—324(A)
——— (see Lawrence, E. O.)—324(A)
——— (see Livingston, M. S.)—325(A)
———, **M. S. Livingston and E. O. Lawrence.** Transmutation of fluorine by proton bombardment and the mass of fluorine 19—38
Hergenrother, R. C. (see Hughes, A. L.)—180
Herzfeld, K. F. and Maria Goeppert Mayer. On the theory of fusion—995
Heydenburg, N. P. Influence of the Stark effect on the fine structure of the Balmer lines of hydrogen—1069
——— Nuclear magnetic moment of caesium from the polarization of resonance radiation—802
——— (see Ellett, A.)—583
Hill, A. G. (see DuBridge, L. A.)—339(A)
Hill, Harry. Hyperfine structure in silver—536(L)
Ho, T. L. (see Goetz, A.)—538(L)
Hogan, Martin E., Jr. (see Fredrickson, W. R.)—454
Holzer, Robert E. Excitation of light by alkali ions—280
Houston, W. V. (see Kinsler, L. E.)—533(L)
——— **and C. B. Crawley.** Electronic functions for a metallic crystal—329(A)
Hoyt, H. C. and Geo. A. Lindsay. Simple method for demonstrating and measuring approximately the index of refraction of x-rays—337(A)
Hsiung, David S. Coincidence test of the corpuscular hypothesis of cosmic-rays—334(A); 653
Hubbard, J. C. Errata:—Acoustic resonator interferometer—525
Hughes, A. L. and R. C. Hergenrother. Electron scattering by atomic electrons—180
Hulburt, E. O. Analysis of the recent measurements of the ionosphere—822(L)
Hull, Robert B. Crystal structure of nickelous acetate tetrahydrate—329(A)
Huxford, W. S. and Olav Maseng. Spectroscopic study of restriking phenomena in the a.c. copper arc—338(A)

Inglis, D. R. Non-orthogonal wave functions and ferromagnetism—135
——— (see Landé, Alfred)—76(L)

Janes, R. B. Magnetic susceptibilities of powdered crystals—338(A)
Jauncey, G. E. M. Note on the structure of the Compton modified band—667
——— (see Harvey, G. G.)—365
——— **and W. D. Claus.** Diffuse scattering of x-rays from sylvine—More exact measurements—941
Jenkins, F. A. (see Nolan, Philip)—327(A)
Jewitt, T. N. Ionization potentials of formaldehyde and halogen derivatives of methane—616
Johnson, E. A. (see Meyer, R. C.)—143(L)
Johnston, Helen (see Murphy, G. M.)—95
Jordahl, O. M. Information concerning crystal structure from data on magnetic susceptibilities—79(L)
Jordan, A. R., James W. Broxon and Frank C. Walz. Dependence of the dielectric coefficient of air upon pressure and frequency—66
Jorgensen, T., Jr. (see Crawford, F. H.)—746(L); 939(A)
Jungers, J. C. (see Lind, S. C.)—825(L)

Kaplan, Joseph. Band spectrum of nitrogen—631(L)
——— New band systems in nitrogen—534(L)
——— New bands in nitrogen—534(L)
——— New second-positive bands in nitrogen—326(A)
——— **and Leo D. Levanas.** New members of the Lyman-Birge-Hopfield system—331(A)
Kellogg, J. M. B. (see Rabi, I. I.)—157; 163
Kennard, E. H. and E. Ramberg. Origin of $K\alpha$-satellites—1040
——— **and E. Ramberg.** Self-consistent field and some x-ray terms of the sodium atom—1034
King, Arthur S. (see Russell, Henry Norris)—1023
King, Louis V. On the mathematical analysis of cosmic-ray data—154
King, Robert B. Photographic photometry of iron multiplets in electric furnace spectra—327(A)
Kinsey, B. B. (see Thornton, R. L.)—324(A)
Kinsler, L. E. Zeeman effect in neon—533(L)
——— **and W. V. Houston.** Zeeman effect in helium—533(L)
Kirkpatrick, D. E. (see Salant, E. O.)—318(L)
Kirkpatrick, Paul (see Ross, P. A.)—668
——— **and Donald G. Hare.** Depth distribution of origins of characteristic x-rays from thick targets—831
Knorr, H. V. (see Albers, V. M.)—336(A)
——— **and V. M. Albers.** Fluorescence and photodecomposition in solutions of chlorophyll *b*—336(A)
Koontz, Philip G. (see Watson, William W.)—32
Korff, S. A. Penetrating power of asymmetric component of cosmic radiation—74(L)
Kruger, P. Gerald and W. E. Shoupp. Deepest terms in ions of the isoelectronic sequences Ni I to Kr IX and Pd I to Xe IX—124

——— **and S. G. Weissberg.** Ionization potentials in the isoelectronic sequence A I to Mn VIII—336(A)
Kueck, P. D. (see Brewer, A. Keith)—894
Kurie, Franz N. D. Disintegration with the emission of protons induced by neutrons—330(A)
——— Loss in energy in the disintegration of nitrogen by neutrons—324(A)
Kusch, P. (see Loomis, F. W.)—292

LaCoste, Lucien J. B. Rotational wave equation of tetramethylmethane for zero potential and a generalization—718
Lamar, E. S. and Overton Luhr. Proton production in the low voltage arc—87
Landé, Alfred. Is the neutron an elementary particle?—334(A)
——— Nuclear magnetic moments and their origin—477
——— **and D. R. Inglis.** Magnetic moment of the neutron—76(L)
Langer, R. M. Passage of charged particles through the magnetic field and the atmosphere of the earth—330(A)
Langseth, A. and J. Rud Nielsen. Polarization and intensity measurements in the Raman spectrum of carbon dioxide—1057
Larrick, Lewis. Nuclear magnetic moments from the polarization of resonance radiation. Sodium, $3^2S_{1/2} - 3^2P_{3/2,\ 1/2}$—581
Lauritsen, C. C. (see Crane, H. R.)—531(L), 1109(L)
——— **and H. R. Crane.** Evidence of an excited state in the alpha-particle—537(L)
——— **and J. R. Oppenheimer.** On the scattering of the Th C″ γ-rays—80(L)
Lawrence, Ernest O. Radioactive sodium produced by deuton bombardment—746(L)
——— (see Henderson, M. C.)—38
——— (see Livingston, M. S.)—325(A)
———, **M. C. Henderson and M. S. Livingston.** Transmutation of fluorine by proton bombardment and the mass of fluorine 19—324(A)
LeGalley, Donald P. (see Locher, Gordon L.)—1047
Levanas, Leo D. (see Kaplan, Joseph)—331(A)
Lewis, Gilbert N. Genesis of the elements—897
Lewis, William. Growing and testing large single crystals of ice—328(A)
Libby, W. F. Absence of low energy radiations from potassium and rubidium—745(L)
——— Radioactivity of neodymium and samarium—196
Lind, S. C., J. C. Jungers and C. H. Shiflett. Polymerization of heavy acetylene by alpha-rays—825(L)
Lindsay, Geo. A. (see Barton, Vola P.)—362
——— (see Hoyt, H. C.)—337(A)
Linford, Leo H. Emission of secondary electrons from various metal targets—325(A)
Liska, John W. Efficiencies of ionization of helium and mercury by electron impact at high voltages—169
Livingston, M. Stanley (see Henderson, M. C.)—38
——— (see Lawrence, E. O.)—324(A)
——— **and Milton A. Chaffee.** Production of high voltage x-rays for medical uses—330(A)
——— **and Edwin McMillan.** Production of radioactive oxygen—437(L)
———, **M. C. Henderson and E. O. Lawrence.** Radioactivity induced by neutron bombardment—325(A)
Locher, Gordon L. and Donald P. LeGalley. Measurement of absolute x-ray intensities and absolute sensitivity of x-ray film with a Geiger-Müller counter—1047
Loeb, Leonard B. Energy of detachment of electrons from negative ions in oxygen—323(A)
Longacre, Andrew. Scattering of lithium ions by a polycrystalline nickel surface—407
Loomis, F. W. and M. J. Arvin. Band spectrum of NaK—286
——— **and W. H. Brandt.** OH^+ bands—79(L)
——— **and P. Kusch.** Band spectrum of cæsium—292
Loring, R. A. (see Green, J. B.)—335(A); 888
Loughridge, Donald H. (see Soltau, David L.)—328(A)
——— **and Harold C. Trueblood.** Organic liquids suitable for cloud expansion work—323(A)
Lowen, I. S. (see Breit, G.)—590
Lozier, W. Wallace. Heat of dissociation of CO and the electron affinity of O—268
——— (see Bleakney, Walker)—81(L)
Luhr, Overton (see Lamar, E. S.)—87

MacDonald, J. K. L. On the modified Ritz variation method—828(L)
Macfarlane, Angus (see Gibson, G. E.)—1059
Manley, J. H. (see Duffendack, O. S.)—336(A)
Mann, M. M. and Walter M. Nielsen. Effect of hydrogen on the afterglow in mercury vapor—991
Manning, Millard F. Energy levels for a potential function having symmetrical double minima and applications to the NH_3 and ND_3 molecules—335(A)
Margenau, Henry. Complex neutron—107
——— Nuclear energy levels and the model of a potential hole—613
——— **and E. Pollard.** Progression of nuclear resonance levels with atomic number—228(L)
Marton, L. Electron microscopy of biological objects—527(L)
Maseng, Olav (see Huxford, W. S.)—338(A)
Mason, R. C. Arcs in rare gases—630(L)
Mayer, Maria Goeppert (see Herzfeld, K. F.)—995
McDowell, Louise S., Persis Bullard and Marian E. Whitney. Effect of frequency of impressed electromotive force upon the power loss and dielectric constant of various glasses—939(A)
McKeehan, L. W. and R. M. Bozorth. Hysteresis losses and the area of the hysteresis loop—527(L)
——— **and W. C. Elmore.** Surface magnetization in ferromagnetic crystals—226(L); II—529(L)
McKellar, Andrew (see Bradley, C. A.)—236(L); 341(A)
——— **and Charles A. Bradley, Jr.** On the near infrared absorption spectrum of mono-deutero-acetylene—664
McMillan, Edwin. Absorption measurements of hard gamma-rays from fluorine bombarded by protons—325(A)
——— Some gamma-rays accompanying artificial nuclear disintegrations—868

McMillan, Edwin (see Livingston, M. Stanley)—437(L)
McMillen, J. Howard. Elastic electron scattering in potassium—983
Merrill, Robert A. Spectral multiplets arising from configurations of the type $d^k msns$. (k = 1 ··· 9)—334(A)
——— Spectral multiplets belonging to configurations of the type $d^k ms$ and $d^k msns$—487
Meyer, R. C. and E. A. Johnson. Measurement of flicker effect—143(L)
Miller, F. M. (see Ufford, C. W.)—283
Millikan, Robert A. General interpretation of cosmic-ray effects—329(A)
——— (see Bowen, I. S.)—641
Millman, Sidney, Marvin Fox and I. I. Rabi. Spin and magnetic moment of the potassium K^{39} nucleus—320(L)
Mitchell, Allan C. G. (see Whitaker, M. D.)—629(L)
——— **and Edgar J. Murphy.** Mean life of the 7^3S_1 state of mercury from polarization measurements on the visible triplet—53
Møller, Chr. and M. S. Plesset. Note on an approximation treatment for many-electron systems—618
Moore, Charlotte, E. (see Russell, Henry Norris)—826(L)
More, Kenneth R. Nuclear mechanical moment of cobalt—327(A); 470
Morrell, Charles (see Glockler, George)—233(L)
Morrow, John A. Precision determinations of the variation of the dielectric constant of benzene with temperature—340(A) (Title only)
Mott-Smith, L. M. (see Bonner, T. W.)—258
Motz, Lloyd (see Heller, Gabriel)—502
Mulliken, Robert S. Halogen molecules and their spectra. *J-J*-like coupling. Molecular ionization potentials—549
——— Hopfield's Rydberg series and the ionization potential and heat of dissociation of N_2—144(L)
——— Measurement of nuclear spin and statistics by means of band spectra—340(A) (Title only)
Murphy, Edgar J. (see Mitchell, Allan C. G.)—53
Murphy, G. M. and Helen Johnston. Nuclear spin of deuterium—95
Myers, F. E., J. F. Byrne and R. T. Cox. Diffraction of electrons as a search for polarization—777

Neddermeyer, Seth H. (see Anderson, Carl D.)—325(A)
Neher, H. Victor (see Bowen, I. S.)—641
Nielsen, A. H. and E. F. Barker. Infrared spectrum of methyl chloride—970
Nielsen, Harald H. Infrared absorption spectrum of formaldehyde. Part I—117
Nielsen, J. Rud (see Langseth, A.)—1057
Nielsen, Walter M. (see Carpenter, David W.)—607
——— (see Mann, M. M.)—991
Nolan, Philip and F. A. Jenkins. Intensities in the 3400 band of phosphorous hydride—327(A)
Nordsieck, Arnold. Neutron collisions and the beta-ray theory of Fermi—234(L)
Nottingham, W. B. Application of the Forsythe-Watson temperature scale for tungsten—341(A)
——— Experiments with the copper arc—630(L)
——— Thermionic electron emission from tungsten—339(A)

O'Bryan, H. M. Optical constants and the conduction electrons of beryllium and silicon—336(A)
Oldenberg, O. On abnormal rotation of molecules—210
Oppenheimer, J. R. (see Lauritsen, C. C.)—80(L)
Osterberg, H. (see Roebuck, J. R.)—340(A); 785
Ostrofsky, M. Application of the Dirac vector model to the d^4 configuration—604
Owens, J. S. (see Duffendack, O. S.)—417

Parker, Allan E. Band systems of BaCl—301
Parratt, Lyman G. Natural x-ray line widths: correction for finite resolving power—749
Paton, R. F. Protons emitted from boron and phosphorus bombarded by high energy alpha-particles—229(L)
Patterson, A. L. Fourier series method for the determination of the components of interatomic distances in crystals—372
Payne, J. Fred, Jr. Effect of x-rays on the dielectric constant of various liquids—340(A)
Pearsall, Anna W. Intensities of satellites of $L\beta_2$—694
Peckham, A. L. (see Rusk, R. D.)—425
Peoples, James A., Jr. (see Slack, Francis G.)—724
Phelps, William D. *M*-series absorption spectrum of metallic bismuth—357
Phipps, T. E. (see Copley, M. J.)—144(L)
Plesset, M. S. (see Møller, Chr.)—618
Podolsky, Boris. Interpretation of e^2/mc^2 and h/mc—734
Polk, O. E. Ionization of air by alpha- and beta-rays as a function of pressure—405
Pollard, Ernest (see Margenau, H.)—228(L)
——— (see Zeleny, J.)—318(L)
——— **and William W. Eaton.** Attempts to detect the emission of deutons in nuclear transmutations—528(L)
Poppy, Willard J. Electrical resistivities of single and optically mosaic zinc crystals—815
Powell, W. M., Jr. Photoelectric measurements of the absorption of fused and crystalline quartz between 1633 and 1463A—43
Price, W. C. Absorption spectra of formaldehyde and hydrogen cyanide in the far ultraviolet—529(L)

Quarles, Gilford G. Dispersion of the electro-optical Kerr effect in carbon dioxide—692

Rabi, I. I. Measurement of nuclear spin and moments by method of molecular beams—340(A) (Title only)
——— (see Breit, G.)—230(L)
——— (see Millman, Sidney)—320(L)
——— **and V. W. Cohen.** Measurement of nuclear spin by the method of molecular beams. The nuclear spin of sodium—707
———, **J. M. B. Kellogg and J. R. Zacharias.** Magnetic moment of the deuton—163; of the proton—157
Ramberg, E. (see Kennard, E. H.)—1034, 1040
——— (see Richtmyer, F. K.)—843
Rarita, William (see Hall, Harvey)—143(L)
Read, D. N. Rotational and vibrational structure of the fourth positive bands of carbon monoxide—571
Reeves, Ralph L. (see Slack, Francis G.)—724
Reinhart, Raymond E. Large Barkhausen discontinuities and their propagation in Ni-Fe alloys. II—483

Richtmyer, F. K. and S. W. Barnes. Natural widths of the *K*-series of W(74)—352
———, **S. W. Barnes and E. Ramberg.** Widths of the *L*-series lines and of the energy levels of Au(79)—843
Rieke, F. F. Anomalous rotation of HgH molecules—236(L)
Robertson, H. P. Indeterminacy relation for several observables and its classical interpretation—794
Rodine, Milward T. Thermal conductivities of bismuth single crystals as influenced by a magnetic field—910
Roebuck, J. R. and H. Osterberg. Joule-Thomson effect in argon—785
——— **and H. Osterberg.** Joule-Thomson effect in nitrogen argon and in mixtures of nitrogen and helium—340(A)
Rosenthal, Jenny E. Vibrations of tetrahedral pentatomic molecules. Part III. Comparison with experimental data. Part IV. Isotopic shifts—730
Ross, P. A. and Paul Kirkpatrick. Effect of electron binding upon the magnitude of the Compton shift—668
Ross, William H. Magnetic susceptibilities of dilute solid solutions of nickel in copper at various temperatures—46
Rudberg, Erik. Vapor pressure of calcium between 500 and 625°C—763; 937(A)
Ruedy, J. E. and R. C. Gibbs. Arc spectrum of selenium—880
Rusk, R. D. and A. L. Peckham. Asymmetry of collector currents—425
Russell, Henry Norris. Spectrum and ionization potential of radium—989
——— **and Arthur S. King.** Arc spectrum of europium—1023
———, **Harold D. Babcock and Charlotte E. Moore.** Series lines of magnesium in the solar spectrum—826(L)

Salant, E. O. and D. E. Kirkpatrick. Vibration-rotation bands of hydrogen fluoride—318(L)
Sandström, Arne. Absorption of hard x-rays and the laws of Jönsson—825(L)
Sawyer, R. A. (see Fitzgerald, Sister M. Ambrosia)—576
Scott, F. A. Measurement of the energy of a beta-ray of radium B—633
Seitz, F. (see Wigner, E.)—509
Semat, Henry. Structure and width of the L_{III} absorption limits of tantalum, tungsten and gold—688
Serber, Robert. Energies of some hydrocarbon molecules—335(A)
Shaw, C. H. (see Bearden, J. A.)—759
Shiflett, C. H. (see Lind, S. C.)—825(L)
Shih, J. W. Magnetic properties of iron-cobalt single crystals—139
Shortley, George H. General sum rule in intermediate coupling—938(A)
Shoupp, W. E. (see Kruger, P. Gerald)—124
Slack, Francis G. Verdet constant of heavy water—945
———, **Ralph L. Reeves and James A. Peoples, Jr.** Effect of concentration, temperature and wave-length of light upon the Verdet constant of cerous chloride solutions—724
Sleator, W. W. and E. F. Barker. Infrared absorption bands of heavy water vapor—336(A)
Slipher, V. M. (see Adel, Arthur)—240(L); 902
Sloan, David H. and Wesley M. Coates. Recent advances in the production of heavy high speed ions without the use of high voltages—539
Smith, Lloyd P. Determination of x-ray line shapes by a double crystal spectrometer—343
Smith, Philip T. (see Bleakney, Walker)—81(L)
——— (see Tate, John T.)—773
Smith, R. E. and L. A. DuBridge. Photoelectric emission from thoriated tungsten—339(A)
Smyth, H. D. (see Bleakney, Walker)—81(L)
——— (see Harnwell, G. P.)—437(L)
——— **and J. P. Blewett.** Ionization of carbon disulphide by electron impact—276
Soller, Walter. Interpolation equation for photo-densitometer charts of x-ray diffraction patterns—331(A)
Soltau, David L., Donald H. Loughridge and Lindsay M. Applegate. Variable frequency generator for furnishing odd harmonics of 60 cycle current of pure sinusoidal form—328(A)
Spangler, Ross D. Cybotactic condition of ethyl ether in the region of the critical point—698
Spedding, Frank H. and Richard S. Bear. Absorption spectra of the samarium ion in solids. IV. Absorption of $Sm(C_2H_5SO_4)_3 \cdot 9H_2O$ and partial energy level diagrams for the Sm^{+++} ion as it exists in hydrated crystalline samarium ethylsulfate, samarium iodide and samarium perchlorate—308. V. The absorption spectrum and energy levels of the Sm^{+++} ion as it exists in monoclinic crystals of $Sm_2(SO_4)_3 \cdot 8H_2O$—975
Spencer, Roy C. Equation for x-ray crystal curves—1108(L)
——— Factors causing deviations in x-ray ionization measurements—337(A)
Stabler, H. P. Symmetry of the thermoelectric effects in single crystals—938(A)
Stearns, J. C. and Darol K. Froman. Azimuthal asymmetry of cosmic radiation on Mount Evans, Colorado—535(L)
Stephens, W. E. Elastic scattering of fast electrons in mercury and agreement with Mott's theory—935(L)
Stephenson, R. J. Fluorescence x-ray yields from *K* shells of atoms—73(L)
Stevenson, A. F. Criticism of Dr. L. G. H. Huxley's theory of the origin of cosmic rays—1111(L)
Stewart, G. W. (see Benz, Carl A.)—703
Stoddard, K. B. Direct and fluorescence excitation of the *K*-level in thick targets of copper—837
Stranathan, R. K. (see Granath, L. P.)—317(L)
Stratton, J. A. Spheroidal functions—938(A)
Street, J. C. and R. H. Woodward. Counter calibration and cosmic-ray intensity—938(A); 1029
——— **and R. T. Young, Jr.** Transition effects in the cosmic radiation—823(L); 938(A)
Strong, John. Anomalous behavior of diffraction gratings coated by evaporation—326(A)
Suits, C. G. Experiments with arcs at atmospheric pressure—252
——— Observations on the velocity of sound in arcs—339(A)

Swann, W. F. G. Relation of the primary cosmic radiation to the phenomena observed—828(L)
——— Significance of J. Clay's ionization depth data in relation to the nature of the primary cosmic radiation—432

Tate, John T. (see Vaughan, Alfred L.)—327 (A)
——— **and Philip T. Smith.** Ionization potentials and probabilities for the formation of multiply charged ions in the alkali vapors and in krypton and xenon—773
Thomassen, L. (see Wilson, J. E.)—337(A)
Thorne, A. M. (see Doan, G. E.)—49
Thornton, R. L. and B. B. Kinsey. Production of high velocity lithium ions—324(A)
Tilles, Abe. Survey of time lag of sparkover in a uniform field—1015
Tonks, Lewi. Pressure of plasma electrons and the force on the cathode of an arc—278
Torrance, C. C. Hartree fields of carbon—388
Trawick, M. W. Spectra of columbium V and molybdenum VI—63
Trueblood, Harold C. (see Loughridge, Donald H.)—323(A)
Tsai, P. M. (see Crawford, F. H.)—935(L)
Tuve, M. A., O. Dahl and C. M. Van Atta. Low-power positive-ion source of high intensity—1027(L)

Uehling, E. A. Transport phenomena in Einstein-Bose and Fermi-Dirac gases. II—917
Ufford, C. W. and F. M. Miller. Relative multiplet transition probabilities from spectroscopic stability—283
Uhlenbeck, G. E. (see Wolfe, Hugh C.)—237(L)
Urry, Wm. D. (see Harnwell, G. P.)—437(L)
Utterback, C. L. and Henry Wirth. Ultramicrometer—328(A)

Valasek, Joseph (see Zeleny, Anthony)—450
Van Atta, C. M. (see Tuve, M. A.)—1027(L)
Van Dyke, K. S. and J. P. Hagen. Decrement investigations of quartz resonators—939(A)
Van Vleck, J. H. Magnetic dipole radiation and the atmospheric absorption bands of oxygen—334(A)
——— **and M. H. Hebb.** On the paramagnetic rotation of tysonite—17; Errata—929
Van Voorhis, S. N. Small-angle inelastic scattering of electrons in helium, hydrogen and mercury—480
Varian, Russell H. Contribution to the theory of barrier layer cells—1051
Varney, Robert N. Ionization by positive alkali ions as measured by a balanced space-charge method—235(L)
——— Ionization by positive alkali ions in noble gases using a balanced space-charge method—322(A)
Vaughan, Alfred L., John H. Williams and John T. Tate. Isotopic abundance ratios of C, N, A, Ne and He—327(A)
Vernoff, S. N. On the study of cosmic rays at the great altitudes—822(L)
Vigness, C. Irwin. Inverse piezoelectric properties of Rochelle salt—255
Vinti, J. P. (see Fender, F. G.)—77(L)

Walerstein, I. High series terms in the arc spectrum of mercury—874
——— $^3S_1$ and $^3D_{3,\,2,\,1}$ terms in mercury—335(A)
Walz, Frank C. (see Jordan, A. R.)—66
Warren, B. E. (see Gingrich, N. S.)—248
——— **and N. S. Gingrich.** Fourier integral analysis of x-ray powder patterns—368
Wasser, Em. (see Halpern, Otto)—177
Watson, Bernard B. (see DuMond, Jesse W. M.)—316(L)
Watson, W. H. Quantum theory of electromagnetic fields—936(L)
Watson, William W. Mass ratios of isotopes from band spectra—319(L)
——— Spectrum of calcium deuteride—939(A)
——— **and Philip G. Koontz.** Nitrogen molecular spectra in the vacuum ultraviolet—32
Weissberg, S. G. (see Kruger, P. Gerald)—336(A)
Weyl, Hermann. Observations on Hilbert's independence theorem and Born's quantization of field equations—505
Wheeler, John A. (see Breit, G.)—1087
——— **and J. A. Bearden.** Variation of the K resonating strength with atomic number—755
Whitaker, M. D., William Bjorksted and Allan C. G. Mitchell. Preliminary report on a quick method of depositing polonium on silver—629(L)
White, Harry J. Some improvements in the technique of Kerr cells—323(A)
——— Study of the initial stages of spark discharges in gases—99; 330(A)
White, T. N. Measurement of the x-ray absorption coefficient of xenon—865
Whitelaw, Neill G. Temperature variation of the second virial coefficient for helium—340(A)
Whitford, Albert E. Highly ionized potassium and calcium spectra—793
Whitney, Marian E. (see McDowell, Louise S.)—939(A)
Wigner, E. On the interaction of electrons in metals—1002
——— **and F. Seitz.** On the constitution of metallic sodium. II—509
Wilhelmy, E. Quadrupole lines in the K-series of ruthenium—130
Williams, Clarke. Thermal expansion and the ferromagnetic change in volume of nickel—1011
Williams, E. H. Magnetic properties of rare earth salts—133
Williams, John H. (see Vaughan, Alfred L.)—327(A)
Williams, P. S. Diffuse scattering of x-rays from sodium fluoride. III. Using sensible monochromatic radiation—83
——— (see Harvey, G. G.)—365
Williams, Robley C. Properties of evaporated films of aluminum over chromium—146(L)
Wills, A. P. and G. F. Boeker. Dependence of the diamagnetism of water upon its temperature—907
Wilson, E. Bright, Jr. Partial interpretation of the Raman and infrared spectra of benzene—146(L)
Wilson, J. E. and L. Thomassen. X-ray investigation of lattice recovery of metals after cold-working—337(A)
Wirth, Henry (see Utterback, C. L.)—328(A)

Witmer, Enos E. On the doublet separation in the normal state of nitric oxide and its thermodynamic quantities—629(L)

Wolf, Alexander and Alexander Goetz. Magnetostriction of pure and alloyed Bi single crystals—1095

Wolfe, Hugh C. and G. E. Uhlenbeck. Spontaneous disintegration of proton or neutron according to the Fermi theory—237(L)

Woodward, R. H. (see Street, J. C.)—938(A); 1029

Wu, Ta-You. Energy states of doubly excited helium—239(L)

——— Infrared spectra of the chlorine derivatives of ethylene C_2H_4—465

Wulf, Oliver R. Pressure broadening in the gamma-bands of nitric oxide—316(L)

Yost, F. L. (see Breit, G.)—1110(L)

Young, R. T., Jr. (see Street, J. C.)—823(L); 938(A)

Zabel, R. M. Scattering of hydrogen and helium beams in mercury vapor—411

Zacharias, J. R. (see Rabi, I. I.)—157; 163

Zaikowsky, W. M. On the development of the intermolecular and intramolecular chains in oxidation of *n*-hexan—329(A)

Zeleny, Anthony and Joseph Valasek. Variation of the dielectric constant of Rochelle salt crystals with frequency and applied field strength—450

Zeleny, J., C. J. Brasefield, C. D. Bock and E. C. Pollard. Alpha-particles from lithium ions striking hydrogen compounds—318(L)

Zener, Clarence. Ferromagnetism and liquid mixtures—824(L)

Ziegler, G. E. Crystal structure of lithium sulphate monohydrate—338(A)

Zinn, Walter H. Two-crystal study of the structure and width of *K* x-ray absorption limits—659

Zwicky, F. (see Baade, W.)—76(L)

Analytic Subject Index to Volume 46

References with (A) are to abstracts of papers presented at meetings of the Physical Society. References with (L) are to Letters to the Editor.

Absorption coefficient (see also **X-ray, absorption**)
Of hard γ-rays from F bombarded by protons, E. McMillan—325(A); 868
Of hard x-rays and the laws of Jönsson, A. Sandström—825(L)
Absorption and reflection of light (see also **Spectra, absorption**)
In fused and crystalline quartz between 1633 and 1463A, W. M. Powell, Jr.—43
Accommodation coefficient
Pressure of plasma electrons, L. Tonks—278
Acoustics
Errata:—Acoustic resonator interferometer, J. C. Hubbard—525
Ultrasonic absorption and reflection coefficients in air and in CO_2, R. W. Curtis—811
Velocity of sound in arcs, C. G. Suits—339(A)
Affinity
Detachment of electrons from O_2, L. B. Loeb—323(A)
Electron affinities of light elements, G. Glockler—111
Electron affinity of O, W. W. Lozier—268
Afterglow
In Hg, effect of H_2, M. M. Mann, W. M. Nielsen—991
In Hg vapor, effect of temperature and pressure, D. W. Carpenter, W. M. Nielsen—607
Arcs (see also **Discharge of electricity in gases**)
Dependence on boiling point of electrodes, C. G. Suits—252; W. B. Nottingham—630(L)
Pressure of plasma electrons, L. Tonks—278
Spectroscopic study of restriking phenomena, W. S. Huxford, O. Maseng—338(A)
Temperature from velocity of sound in arcs, C. G. Suits—339(A)
Unstable arcs in pure inert gases, G. E. Doan, A. M. Thorne—49; R. C. Mason—630(L)
Astrophysics
Atmospheres of the giant planets, A. Adel, V. M. Slipher—902
CO_2 in atmosphere of Venus, A. Adel—240(L)
Genesis of the elements, G. N. Lewis—897
Methane in solar spectra of major planets, A. Adel, V. M. Slipher—240(L)
Series lines of Mg in solar spectrum, H. N. Russell, H. D. Babcock, C. E. Moore—826(L)
Stellar abundance of H^2 and H^3, H. H. Goldsmith—78(L)
Super-novae and cosmic rays, W. Baade, F. Zwicky—76(L)
Atmospheric electricity (see **Meteorology**)
Atomic and molecular beams
Scattering of H and He beams in Hg vapor, R. M. Zabel—411
Scattering of Li ions by a polycrystalline Ni, A. Longacre—407
Barkhausen effect (see **Magnetic properties**)
Barrier-Layer photo-cells
Theory of direction of flow, R. H. Varian—1051
Chemical reactions
Intermolecular and intramolecular chains in oxidation of *n*-hexan, W. M. Zaikowsky—329(A)
Temperature threshold for catalytic decomposition of molecules on hot Pt, O. Beeck—331(A)
Collisions of second kind
Mg atoms and Ne, O. S. Duffendack, J. H. Manley—336(A)
Hg atoms and H_2, CO and N_2, O. S. Duffendack, J. S. Owens—417
Combustion (see **Chemical reactions**)
Compton effect (see **X-rays, diffraction, scattering, etc.**)
Constants, physical, standards
Interpretation of e^2/mc^2 and h/mc, B. Podolsky—734
Photoelectric determination of h/e, L. A. DuBridge, A. G. Hill—339(A)
Velocity of light, anomalies, S. Freed—1025(L)
Cosmic radiation
Absorption measurements of hard γ-rays from F bombarded by protons, E. McMillan—325(A)
Analysis of data, L. V. King—154
Annihilation of the proton, A. Bramley—438(L)
Azimuthal asymmetry on Mount Evans, J. C. Stearns, D. K. Froman—535(L)
Coincidence test of the corpuscular hypothesis, D. S. Hsiung—334(A); 653
Counter calibration and ray intensity, J. C. Street, R. H. Woodward—938(A); 1029
General interpretation, R. A. Millikan—329(A)
At the great altitudes, S. N. Vernoff—822(L)
High altitude survey of the effect of latitude; general interpretation, I. S. Bowen, R. A. Millikan, H. V. Neher—641
Ionization of air by α- and β-rays as function of pressure, O. E. Polk—405
Ionization depth data, nature of the primary radiation, W. F. G. Swann—432; 828(L)
Origin, criticism of Huxley's theory, A. F. Stevenson—1111(L)
Passage of particles through magnetic field and atmosphere of the earth, R. M. Langer—330(A)
Penetrating power of asymmetric component, S. A. Korff—74(L)
Production of secondaries by cosmic-ray electrons; energy loss, C. D. Anderson, S. H. Neddermeyer—325(A)
Recovery time of G-M counters, W. E. Danforth—1026(L)
Super-novae as source, W. Baade, F. Zwicky—76(L)
Transition effects, air to Pb, J. C. Street, R. T. Young, Jr.—823(L); 938(A)

Crystalline state
Absorption of light in quartz, W. M. Powell, Jr.—43
Constitution of metallic Na, E. Wigner, F. Seitz—509
Decrement of quartz resonators, K. S. Van Dyke, J. P. Hagen—939(A)
Dielectric constant of Rochelle salt crystals, A. Zeleny, J. Valasek—450
Electrical resistivities of single and mosaic Zn crystals, W. J. Poppy—815
Electronic functions for a metallic crystal, W. V. Houston, C. B. Crawley—329(A)
Electrons in metals, E. Wigner—1002
Inverse piezoelectric properties of Rochelle salt, C. I. Vigness—255
Magnetic properties of Fe-Co single crystals, J. W. Shih —139
Magnetic susceptibilities of powdered crystals, R. B. Janes—338(A)
Magnetization in ferromagnetic crystals, L. W. McKeehan, W. C. Elmore—226(L); 529(L)
Magnetostriction of pure and alloyed Bi single crystals, A. Wolf, A. Goetz—1095
Melting parameters of N and A under pressure, nature of the melting curve, P. W. Bridgman—930
Paramagnetic rotation of tysonite, J. H. Van Vleck, M. H. Hebb—17; Errata—929
Segregation of Po in Bi crystals, A. B. Focke—623
Single crystals of ice, W. Lewis—328(A)
Spectra of Sm ion in solids, F. H. Spedding, R. S. Bear—308; 975
Susceptibilities of solutions of Ni in Cu, W. H. Ross—46
Theory of fusion, K. F. Herzfeld, M. Goeppert Mayer—995
Thermal conductivities of Bi single crystals in a magnetic field, M. T. Rodine—910
Thermal expansion of alloyed Bi crystals near eutectic melting point, A. Goetz, J. W. Buchta, T. L. Ho—538(L)
Thermal expansion of Bi near melting point, J. W. Buchta, A. Goetz—1092
Thermoelectric effects in single crystals, H. P. Stabler—938(A)
Transition in Al at 79°C, W. Band—934(L)
Wiedemann-Franz ratio of single crystal Zn, C. A. Cinnamon—215
X-ray investigation of lattice recovery after cold-working, J. E. Wilson, L. Thomassen—337(A)
X-ray study of a vibrating quartz crystal, M. Y. Colby, S. Harris—445

Critical potentials (see **Potentials, critical**)

Crystals, structure
From data on magnetic susceptibilities, O. M. Jordahl—79(L)
Fourier integral analysis of x-ray powder patterns, B. E. Warren, N. S. Gingrich—368
Fourier series method for the determination of interatomic distances, A. L. Patterson—372
Of lithium sulphate monohydrate, G. E. Ziegler—338(A)
Of nickelous acetate tetrahydrate, R. B. Hull—329(A)
Photo-densitometer charts of diffraction patterns, W. Soller—331(A)

Cybotactic state
Of ethyl ether in region of critical point, R. D. Spangler—698
Of isopentane in region of critical point, C. A. Benz, G. W. Stewart—703

Diamagnetism (see **Magnetic properties**)

Dielectric constants (see **Dielectrics and dielectric properties**)

Dielectrics and dielectric properties
Dielectric coefficient of air, variation with pressure and frequency, A. R. Jordan, J. W. Broxon, F. C. Walz—66
Effect of x-rays on dielectric constant of liquids, J. F. Payne, Jr.—340(A)
Frequency and applied field strength variations of constant in Rochelle salt, A. Zeleny, J. Valasek—450
Power loss and dielectric constant of various glasses, L. S. McDowell, P. Bullard, M. E. Whitney—939(A)
Of tung oil, variation with temperature and frequency, A. A. Bless—340(A)

Diffraction of electrons (see **Electron diffraction**)

Diffraction of molecules (see **Atomic and molecular beams**)

Discharge of electricity in gases (see also **Arcs; Electrons in gases**)
Current in different directions, R. D. Rusk, A. L. Peckham—425
Excitation of light by alkali ions, R. E. Holzer—280
Initial stages of spark discharges, H. J. White—99; 330(A)
Mechanism of spark discharge; time lags, A. Tilles—1015
Pressure of plasma electrons, L. Tonks—278
Reflection coefficient of electrons, M. J. Copley, T. E. Phipps—144(L)
Source of positive ions, R. D. Fowler, G. E. Gibson—1075
Sparking potentials at low pressures, S. S. Cerwin—1054

Disintegration of nucleus (see also **Radioactivity**)
α-particles from Li, J. Zeleny, C. J. Brasefield, C. D. Bock, E. C. Pollard—318(L)
Attempts to detect emission of deutons, E. Pollard, W. W. Eaton—528(L)
Of B, γ-rays emitted, H. R. Crane, L. A. Delsasso, W. A. Fowler, C. C. Lauritsen—1109(L)
Capture of charged particles by nuclei due to emission of γ-radiation, G. Breit, F. L. Yost—1110(L)
Conversion of kinetic into γ-ray energy; disintegration by neutrons, W. D. Harkins, D. M. Gans—827(L)
Disintegration of H^2, H. H. Goldsmith—78(L)
Emission of protons induced by neutron bombardment, F. N. D. Kurie—330(A)
Energy spectra of neutrons from the disintegration of F, B and Be, T. W. Bonner, L. M. Mott-Smith—258
Excited state in the α-particle, C. C. Lauritsen, H. R. Crane—537(L)
Of F by H^+, M. C. Henderson, M. S. Livingston, E. O. Lawrence—38

Disintegration of nucleus (Continued)
Of F, mass of F^{19}, E. O. Lawrence, M. C. Henderson, M. S. Livingston—324(A)
γ-rays accompanying artificial disintegrations, E. McMillan—325(A); 868
γ-rays from Li and F bombarded with protons, H. R. Crane, L. A. Delsasso, W. A. Fowler, C. C. Lauritsen —531(L)
High velocity Li ions, R. L. Thornton, B. B. Kinsey—324(A)
Inelastic collisions with changes of mass, W. D. Harkins, D. M. Gans—397
Of N by neutrons, F. N. D. Kurie—324(A)
Organic liquids for cloud expansion work, D. H. Loughridge, H. C. Trueblood—323(A)
Proton production in the low voltage arc, E. S. Lamar, O. Luhr—87
Protons from B and P bombarded by α-particles, R. F. Paton—229(L)
Radioactive O, M. S. Livingston, E. McMillan—437(L)
Radioactive Na, E. O. Lawrence—746(L)
Recording apparatus for α-particles, protons and neutrons, M. C. Henderson—324(A)
Source of positive ions, R. D. Fowler, G. E. Gibson—1075

Dissociation, heat of (see also **Molecular structure and constants**)
Of CO, W. W. Lozier—268
Of CS_2, H. D. Smyth, J. P. Blewett—276
Energies of some hydrocarbon molecules, R. Serber—335(A)
Of N_2, R. S. Mulliken—144(L)

Efficiency of ionization
Of He and Hg at high voltages, J. W. Liska—169
Of multiply charged ions in the alkali vapors and in Kr and Xe, J. T. Tate, P. T. Smith—773

Elasticity
Erratum, elastic moduli of rocksalt, L. Balamuth—933

Electrets
Neutron collisions, theory of, A. Nordsieck—234(L)

Electrical conductivity and resistance
Of single and mosaic Zn crystals, W. J. Poppy—815

Electromagnetic theory
And interpretation of e^2/mc^2 and h/mc, B. Podolsky—734
Quantization of field equations, H. Weyl—505
Quantum theory of electromagnetic fields, W. H. Watson—936(L)

Electron diffraction (see also **Scattering of electrons**)
Search for polarization, F. E. Myers, J. F. Byrne, R. T. Cox—777

Electron lenses
Microscopy of biological objects, L. Marton—527(L)

Electrons in gases
Motion of photoelectrons, A. M. Cravath—323(A)
Terminal energy distribution, A. M. Cravath—332(A)

Electrons in metals
In Be and Si, H. M. O'Bryan—336(A)
Constitution of metallic Na, E. Wigner, F. Seitz—509
Interactions in an electron gas, E. Wigner—1002
Theory of barrier layer cells, R. H. Varian—1051

Electrons, secondary
From metal targets bombarded by 1.3 MEV Hg ions, L. H. Linford—325(A)
Production by cosmic-rays, C. D. Anderson, S. H. Neddermeyer—325(A)
Variation with atomic number, P. L. Copeland—167

Electron tubes (see **Vacuum tubes**)

Electro-optical effects (see also **Photoelectric effect and properties**)
Dispersion of Kerr effect in CO_2, G. G. Quarles—692

E/m
From Zeeman effect in He, L. E. Kinsler, W. V. Houston —533(L)
From Zeeman effect in Ne, L. E. Kinsler—533(L)

Energy states of atoms (see also **Spectra, atomic**)
Doubly excited He, T.-Y. Wu—239(L)
Doubly excited states in He, F. G. Fender, J. P. Vinti—77(L)

Equations of state
Melting parameters of N and A under pressure, nature of the melting curve, P. W. Bridgman—930
Theory of fusion, K. F. Herzfeld, M. G. Mayer—995

Errata
Acoustic resonator interferometer, J. C. Hubbard—525
Magnetic moment of the neutron, A. Landé, D. R. Inglis—76(L)
New method for measuring elastic moduli and the variation with temperature of the principal Young's modulus of rocksalt between 78°K and 273°K, L. Balamuth—933
On the paramagnetic rotation of tysonite, J. H. Van Vleck, M. H. Hebb—929

Excitation of atoms and molecules
Mean life of the 7^3S_1 state of Hg, A. C. G. Mitchell, E. J. Murphy—53

Ferromagnetism (see **Magnetic properties**)

Field currents
Of Balmer lines and Stark effect, N. P. Heydenburg—1065

Fluorescence
And photodecomposition in solutions of chlorophyll *a* and *b*, V. M. Albers, H. V. Knorr—336(A)

Gases (see **Kinetic theory**)

Heat of dissociation (see **Dissociation**)

High voltage tubes and machines
Heavy high speed ions without the use of high voltages, D. H. Sloan, W. M. Coates—539

Hyperfine structure (see also **Nuclear moments and spin**)
Of La I, O. E. Anderson—325(A)
In Pb, B. H. Dickinson—598
In Ag, H. Hill—536(L)

Instruments (see **Methods and instruments**)

Ionization by ions (see also **Ionization potentials**)
α- and β-rays ionization of air, variation with pressure, O. E. Polk—405

Balanced space-charge method, R. N. Varney—235(L); 322(A)
Excitation of light by alkali ions, R. E. Holzer—280
Ionization by radon, Ra A and Ra C′ in clyindrical chambers, R. D. Evans—937(A)

Ionization potentials
Of CS_2, H. D. Smyth, J. P. Blewett—276
Of Eu, H. N. Russell, A. S. King—1023
Of formaldehyde and halogen derivatives of methane, T. N. Jewitt—616
Iso-electronic sequence A I to Mn VIII, P. G. Kruger, S. G. Weissberg—336(A)
Molecular ionization potentials, R. S. Mulliken—549
Of multiply charged ions in the alkali vapors and in Kr and Xe, J. T. Tate, P. T. Smith—773
Of N_2, R. S. Mulliken—144(L)
Of Ra, H. N. Russell—989

Ions, high speed
Source, of high intensity, M. A. Tuve, O. Dahl, C. M. Van Atta—1027(L)

Isotopes
Abundance ratios of C, N, A, Ne and He, A. L. Vaughan, J. H. Williams, J. T. Tate—327(A)
Isotopic shifts in pentatomic molecules, J. E. Rosenthal —730
Mass ratios from band spectra, W. W. Watson—319(L)
Nuclear stability and isotope shift, G. Breit—319(L)
Relative abundance of Li, K and Rb isotopes, A. K. Brewer, P. D. Kueck—894
Spectroscopic evidence for He_2^3, G. P. Harnwell, H. D. Smyth, W. D. Urry—437(L)
Vibrational isotope effects, A. Adel—222

Joule-Thomson effect (see **Kinetic theory of gases**)
In A, J. R. Roebuck, H. Osterberg—785

Kinetic theory of gases
Joule-Thomson effect in A, J. R. Roebuck, H. Osterberg —340(A); 785
Second virial coefficient of He, N. G. Whitelaw—340(A)
Transport phenomena in Einstein-Bose and Fermi-Dirac gases, E. A. Uehling—917
Ultrasonic absorption and reflection coefficients in air and in CO_2, R. W. Curtis—811

Magnetic properties
Barkhausen discontinuities and their propagation, R. E. Reinhart—483
Diamagnetism of water temperature effect, A. P. Wills, G. F. Boeker—907
Ferromagnetic change in volume of Ni, C. Williams—1011
Ferromagnetism and liquid mixtures, C. Zener—824(L)
Ferromagnetism and non-orthogonal wave functions, D. E. Inglis—135
Heat treatment of magnetic materials, R. M. Bozorth—232(L)
Hysteresis losses and the hysteresis loop, L. W. McKeehan, R. M. Bozorth—527(L)
Of Fe-Co single crystals, J. W. Shih—139
Magnetic susceptibilities and crystal structure, O. M. Jordahl—79(L)
Magnetoresistance discontinuities, C. W. Heaps—1108(L)
Magnetostriction of pure and alloyed Bi single crystals, A. Wolf, A. Goetz—1095
Paramagnetic rotation of tysonite, J. H. Van Vleck, M. H. Hebb—17; Errata—929
Of powdered crystals, R. B. Janes—338(A)
Of rare earth salts, susceptibility and water content, E. H. Williams—133
Surface magnetization in ferromagnetic crystals, L. W. McKeehan, W. C. Elmore—226(L); 529(L)
Susceptibilities of dilute solid solution of Ni in Cu, W. H. Ross—46

Magneto-optical effects
Paramagnetic rotation of tysonite, J. H. Van Vleck, M. H. Hebb—17; Erratum—929
Verdet constant of $CeCl_3$; effect of concentration, temperature and wave-length, F. G. Slack, R. L. Reeves, J. A. Peoples, Jr.—724
Verdet constant of heavy water, F. G. Slack—945

Mean life
Of the 7^3S_1 state of Hg, A. C. G. Mitchell, E. J. Murphy —53

Mechanics, quantum-atomic structure and spectra
Calculation of atomic energy levels, R. F. Bacher, S. Goudsmit—948
Dirac vector model and d^4 configuration, M. Ostrofsky—604
Hartree fields of C, C. C. Torrance—388
Second-order calculation of He I $2s2p\ ^{1,3}P$, W. M. Cady —439(L)
Self-consistent field for Na atom, E. H. Kennard, E. Ramberg—1034
Spectral multiplets, Dirac vector model, R. A. Merrill—487
Wave functions and atomic field for Hg, D. R. Hartree—738

Mechanics, quantum—general
Averages over portions of configuration space, G. Heller, L. Motz—502
Capture of particles by nuclei, emission of γ-ray, G. Breit, F. L. Yost—1110(L)
Collision of two light quanta, G. Breit, J. A. Wheeler—1087
Electrons and positrons, Dirac theory, C. H. Dix—329(A)
Indeterminacy relation for several observables, H. P. Robertson—794
Many-electron systems, approximation treatment, C. Møller, M. S. Plesset—618
Modified Ritz variation method, J. K. L. MacDonald—828(L)
Non-orthogonal wave functions and ferromagnetism, D. R. Inglis—135
Nuclear energy levels and a model, H. Margenau—613
Quantization of field equations, H. Weyl—505; W. H. Watson—936(L)

Mechanics, quantum—general (Continued)
Spheroidal functions, general equation, J. A. Stratton—938(A)
Test for spectroscopic stability, O. Halpern, E. Wasser—177
Transport phenomena in Einstein-Bose and Fermi-Dirac gases, E. A. Uehling—917
Wave functions for high energy electrons in Coulomb fields, W. H. Furry—391
Mechanics, quantum—molecular structure and spectra
Kinetic energy of polyatomic molecules, C. Eckart—383
Potential function having symmetrical double minima, M. F. Manning—335(A)
Rotational wave equation of tetramethylmethane, L. J. B. LaCoste—718
Mechanics, quantum—of solid bodies
Constitution of metallic Na, E. Wigner, F. Seitz—509
Electronic functions for a metallic crystal, W. V. Houston, C. B. Crawley—329(A)
Radiation damping and polarization, G. Breit, I. S. Lowen—590
Metals (see also **Crystalline state**)
Transition in Al at 79°C, W. Band—934(L)
Meteorology
Analysis of measurements of the ionosphere, E. O. Hulburt—822(L)
Multiple sunset flashes, S. J. Barnett—75(L)
Methods and instruments
Behavior of diffraction gratings coated by evaporation, J. Strong—326(A)
Capacity-resistance bridge, A. R. Jordan, J. W. Broxon, F. C. Walz—66
Compensator to measure double refraction, H. A. Boorse—187
Constant-voltage rectifier, R. D. Evans—324(A)
Curved crystal x-ray spectrograph, R. L. Doan—337(A)
Curved quartz crystal x-ray spectrograph, J. W. M. DuMond, B. B. Watson—316(L)
Deposition Po on Ag, M. D. Whitaker, W. Bjorksted, A. C. G. Mitchell—629(L)
Determination of Rn and Ra in liquids, R. D. Evans—328(A)
Evaporated films of Al over Cr, R. C. Williams—146(L)
G-M counter calibration, J. C. Street, R. H. Woodward—938(A); 1029
Heavy high speed ions without the use of high voltages, D. H. Sloan, W. M. Coates—539
High velocity Li ions, R. L. Thornton, B. B. Kinsey—324(A)
High voltage x-rays for medical uses, M. S. Livingston, M. A. Chaffee—330(A)
Index of refraction of x-rays, H. C. Hoyt, G. A. Lindsay—337(A)
Intensity measurements in Raman spectrum, I. Hanson—122
Magnetic field with high gradient, I. I. Rabi, J. M. B. Kellogg, J. R. Zacharias—157
Organic liquids for cloud expansion work, D. H. Loughridge, H. C. Trueblood—323(A)
Photographic photometry of electric furnace spectra, R. B. King—327(A)
Positive ion source of high intensity, M. A. Tuve, O. Dahl, C. M. Van Atta—1027(L)
Precision frequency standard of high power, F. G. Dunnington—331(A)
Proton production in the low voltage arc, E. S. Lamar, O. Luhr—87
Recovery time of G-M counters, W. E. Danforth—1026(L)
Quartz used in instruments, W. M. Powell, Jr.—43
Recording apparatus for α-particles, protons and neutrons, M. C. Henderson—324(A)
Rectifying effect in chrome cast iron, L. G. Hall—1109(L)
Schmidt cameras in plane grating spectrographs, T. Dunham, Jr.—326(A)
Simplified interval sorter for spectral analysis, C. B. Ellis—341(A)
Source of positive ions, R. D. Fowler, G. E. Gibson—1075
Spheroidal functions, general equation, J. A. Stratton—938(A)
Statistical theory, W. E. Deming, R. T. Birge—1027(L)
Technique of Kerr cells, H. J. White—323(A)
Ultramicrometer, C. L. Utterback, H. Wirth—328(A)
Variable frequency generator for odd harmonics of 60 cycle, D. L. Soltau, D. H. Loughridge, L. M. Applegate—328(A)
X-ray intensities by use of G-M counter, G. L. Locher, D. P. LeGalley—1047
Molecular structure and constants (see also **Spectra, molecular and Raman spectra**)
Doublet separation in NO, E. E. Witmer—629(L)
Of H_2S, P. C. Cross—536(L)
Vibrations of tetrahedral pentatomic molecules, J. E. Rosenthal—730
Multiplets (see also **Spectra, etc.**)
Relative transition probabilities from spectroscopic stability, C. W. Ufford, F. M. Miller—283

Neutrons
As combination of proton and electron, H. Margenau—107
Collisions, theory of, A. Nordsieck—234(L)
Energy spectra from the disintegration of F, B and Be, T. W. Bonner, L. M. Mott-Smith—258
Magnetic moment, I. I. Rabi, J. M. B. Kellogg, J. R. Zacharias—163
Mass of neutron, F. N. D. Kurie—324(A)
Removal of neutrons and α-particles from nuclei, E. D. Eastman—238(L)
Spontaneous disintegration of proton or neutron, H. C. Wolfe, G. E. Uhlenbeck—237(L)
Structure of, A. Landé—334(A)
Nuclear moments and spin (see also **Hyperfine structure**)
Of Cs, magnetic, L. P. Granath, R. K. Stranathan—317(L); V. W. Cohen—713; N. P. Heydenburg—802
Of Co, mechanical and magnetic, K. R. More—327(A); 470

Of Cb, magnetic from hyperfine structure, S. S. Ballard —233(L); 327(A); 806
Of H^2, G. M. Murphy, H. Johnston—95; I. I. Rabi, J. M. B. Kellogg, J. R. Zacharias—163
Interpretation of values of moments, G. Breit, I. I. Rabi—230(L)
Of La, magnetic, O. E. Anderson—473
Of neutron, magnetic, erratum, A. Landé, D. R. Inglis—76(L)
Of proton, magnetic, I. I. Rabi, J. M. B. Kellogg, J. R. Zacharias—157
Origin of magnetic moments, A. Landé—477
Of K^{39}, S. Millman, M. Fox, I. I. Rabi—320(L)
Of Na, magnetic, A. Ellett, N. P. Heydenburg—583; L. Larrick—581; I. I. Rabi, V. W. Cohen—707

Nucleus (see also **Disintegration of nucleus**)
Energy levels and a model, H. Margenau—613
Energy stability and composition of atomic nuclei, E. D. Eastman—1
Excited state in the α-particle, C. C. Lauritsen, H. R. Crane—537(L)
Genesis of the elements, G. N. Lewis—897
Heights of potential barriers, E. D. Eastman—744(L)
Mass of F^{19}, M. C. Henderson, M. S. Livingston, E. O. Lawrence—38
Negative protons in the nucleus, J. H. Bartlett, Jr.—435(L)
Nuclear stability and isotope shift, G. Breit—319(L)
Production of He^3, W. Bleakney, G. P. Harnwell, W. W. Lozier, P. T. Smith, H. D. Smyth—81(L)
Resonance levels and atomic number, H. Margenau, E. Pollard—228(L)

Optical constants and properties
Behavior of diffraction gratings coated by evaporation, J. Strong—326(A)
Of Be and Si, H. M. O'Bryan—336(A)
Refractivity of gas in magnetic field, O. Halpern, E. Wasser—177

Optical instruments (see **Methods and instruments**)

Paschen-Back effect
In Hg, J. B. Green, R. A. Loring—888; 335(A)

Photoelectric effect and properties; cells
Energy distribution of electrons from Na, L. A. DuBridge, A. G. Hill—339(A)
Energy distribution of electrons, thickness of film, J. J. Brady—768
For the *L*-shell, H. Hall, W. Rarita—143(L)
Work function of thoriated W, R. E. Smith, L. A. DuBridge—339(A)

Photometry
Photographic photometry of electric furnace spectra, R. B. King—327(A)

Photons
Collision of two light quanta, G. Breit, J. A. Wheeler—1087

Photovoltaic effect
Behavior of cells under x-radiation, M. F. Griffith, P. E. Boucher—341(A)

Piezoelectric effect
Decrement of quartz resonators, K. S. Van Dyke, J. P. Hagen—939(A)
Inverse effect in Rochelle salt, C. I. Vigness—255
X-ray study of a vibrating quartz crystal, M. Y. Colby, S. Harris—445

Plasmoidal discharges (see **Discharge of electricity in gases**)

Polarization of radiation
Fluorescence radiation, G. Breit, I. S. Lowen—590
Of Raman bands in CO_2, A. Langseth, J. R. Nielsen—1057
Of sky light during the total solar eclipses, W. M. Cohn—328(A)

Polymerization
Of heavy acetylene by α-rays, S. C. Lind, J. C. Jungers, C. H. Shiflett—825(L)

Potentials, critical (see also **Ionization potentials**)
Excitation of light by alkali ions, R. E. Holzer—280

Quenching of radiation
Of Hg by H_2, CO and N_2, O. S. Duffendack, J. S. Owens —417

Radioactivity (see also **Disintegration of nucleus**)
Absence of low energy radiations from K and Rb, W. F. Libby—745(L)
Chemistry of element 93, A. v. Grosse, M. Agruss—241(L)
Conversion of kinetic into γ-ray energy; disintegration by neutrons, W. D. Harkins, D. M. Gans—827(L)
Depositing Po on Ag, M. D. Whitaker, W. Bjorksted, A. C. G. Mitchell—629(L)
Determination of Rn and Ra in liquids, R. D. Evans—328(A)
Energy of a β-ray of Ra B, F. A. Scott—633
Induced by neutron bombardment, M. S. Livingston, M. C. Henderson, E. O. Lawrence—325(A)
Ionization by radon, Ra A and Ra C′ in cylindrical chambers, R. D. Evans—937(A)
Of Nd and Sm; tests of other elements, W. F. Libby—196
Radioactive O, M. S. Livingston, E. McMillan—437(L)
Removal of neutrons and α-particles from nuclei, E. D. Eastman—238(L)
Scattering of the Th C″ γ-rays, C. C. Lauritsen, J. R. Oppenheimer—80(L)
Of Na induced by deuton bombardment, E. O. Lawrence —746(L)
Spontaneous disintegration of proton or neutron, H. C. Wolfe, G. E. Uhlenbeck—237(L)

Raman spectra
Of acetylene, G. Glockler, C. Morrell—233(L)
In heavy acetylene (C_2D_2), G. Glockler, H. M. Davis—535(L)
Intensity measurements in CO_2, I. Hanson—122
Interpretation in benzene, E. B. Wilson, Jr.—146(L)
Polarization and intensity in Raman spectrum of CO_2, A. Langseth, J. R. Nielsen—1057

Rectifiers
Rectifying effect in chrome cast iron, I. G. Hall—1109(L)
Relativity
Velocity of light, anomalies, S. Freed—1025(L)
Resonance radiation
Escape from Hg vapor, D. W. Carpenter, W. M. Nielsen—608
Quenching of Hg radiation, O. S. Duffendack, J. S. Owens—417
Of Na, polarization, A. Ellett, N. P. Heydenburg—583; L. Larrick—581

Scattering of atoms and molecules (see **Atomic and molecular beams**)
Scattering of electrons and ions (see also **Electrons in gases; Electron diffraction**)
Elastic scattering of fast electrons in Hg, W. E. Stephens—935(L)
Elastic scattering in K, J. H. McMillen—983
In He, elastic and inelastic, A. L. Hughes, R. C. Hergenrother—180
Small-angle inelastic electron scattering in He, H_2 and Hg, S. N. Van Voorhis—480
Secondary electrons (see **Electrons, secondary**)
Solid state (see **Crystalline state**)
Spark discharge
Initial stages, H. J. White—99; 330(A)
Initiation in ion free gases, J. W. Flowers, J. W. Beams—338(A)
Potentials at low pressures, A. J. Dempster—728
Time lags; mechanism of discharge, A. Tilles—1015
Spectra, absorption (see also **Absorption of light**)
Of As_2, G. E. Gibson, A. Macfarlane—1059
Atmospheric bands of O, J. H. Van Vleck—334
Of formaldehyde and hydrogen cyanide in ultraviolet, W. C. Price—529(L)
Of formaldehyde, infrared, H. H. Nielsen—117
Of heavy water vapor, W. W. Sleator, E. F. Barker—336(A)
Infrared spectra of benzene, interpretation, E. B. Wilson, Jr.—146(L)
Of methyl chloride, 0.7μ to 7.0μ, A. H. Nielsen, E. F. Barker—970
Of mono-deutero acetylene, infrared, A. McKellar, C. A. Bradley, Jr.—236(L); 341(A); 664
Of the Sm ion in solids, F. H. Spedding, R. S. Bear—308; 975
Spectra, atomic
Of Cs III and Ba IV, M. A. Fitzgerald, R. A. Sawyer—576
C, N, O, calculation of energy levels by quantum mechanics, R. F. Bacher, S. Goudsmit—948
Of Cl IV, I. S. Bowen—377
Of Co V and Mo VI, M. W. Trawick—63
Configurations of the type $d^k ms$ and $d^k msms$, R. A. Merrill—487; 334(A)
d^4 configuration, Dirac vector model, M. Ostrofsky—604
Deepest terms of the isoelectronic sequences Ni I to Kr IX and Pd I, P. G. Kruger, W. E. Shoupp—124
Doubly-excited states in He, F. G. Fender, J. P. Vinti—77(L)
Of Eu I, H. N. Russell, A. S. King—1023
Fine structure of Balmer lines and Stark effect, N. P. Heydenburg—1069
General sum rule in intermediate coupling, G. H. Shortley—938(A)
Intensities in platinum-like spectra, A. T. Goble—334(A)
Isotope effect in Pb, B. H. Dickinson—598
Of Hg, high series terms, I. Walerstein—335(A); 874
Multiplet transition probabilities from spectroscopic stability, C. W. Ufford, F. M. Miller—283
Of Ne I, II, III and IV, J. C. Boyce—378
Of K IV, V, Ca V, VI, I. S. Bowen—791
Of K VI, VII, VIII, IX and Ca VII, VIII, A. E. Whitford—793
Of Ra; ionization potential, H. N. Russell—989
Second-order calculation of He I $2s2p\ ^{1,3}P$, W. M. Cady—439(L)
Of Se I, J. E. Ruedy, R. C. Gibbs—880
Series lines of Mg in solar spectrum, H. N. Russell, H. D. Babcock, C. E. Moore—826(L)
Spectra, continuous
In flames and arcs, W. Finkelnburg—330(A)
Of some incandescent lamps, W. E. Forsythe, B. T. Barnes—339(A)
Spectra, general
Abnormal rotation of molecules, O. Oldenberg—210
Afterglow in Hg, M. M. Mann, W. M. Nielsen—991
Spectra, molecular (see also **Molecular structure and constants**)
Abnormal rotation of molecules, O. Oldenberg—210
Of acetylene, G. Glockler, C. Morrell—233(L)
Of BaCl, A. E. Parker—301
Of BeCl, ultraviolet, W. R. Fredrickson, M. E. Hogan, Jr.—454
Of Cd_3, S. W. Cram—205
Of CaD, W. W. Watson—939(A)
Of CO, ultraviolet, D. N. Read—571
Of CS_2, F. W. Loomis, P. Kusch—292
Of the chlorine derivatives of ethylene, infrared, T.-Y. Wu—465
Of GaO, M. L. Guernsey—114
Of halogen molecules, energy states, *J-J*-like coupling, R. S. Mulliken—549
Of HF, E. O. Salant, D. E. Kirkpatrick—318(L)
Of H_2S, band at 10,100A, P. C. Cross—536(L)
Of LiH and LiD, F. H. Crawford, T. Jorgensen—746(L); 939(A)
Of HgH, anomalous rotation, F. F. Rieke—236(L)
Of N_3, J. Kaplan, L. D. Levanas—331(A)
Of N_2^+, F. H. Crawford, P. M. Tsai—935(L)
Of N_2 in ultraviolet, W. W. Watson, P. G. Koontz—32
Of N_2, ultraviolet, J. Kaplan—326(A); 534(L); 631(L)
Of O_4, W. Finkelnburg—326(A)
OH^+ bands, F. W. Loomis, W. H. Brandt—79(L)
Of PH, P. Nolan, F. A. Jenkins—327(A)
Pressure broadening of NO bands, O. R. Wulf—316(L)
Of NaK, F. W. Loomis, M. J. Arvin—286

Of S_2 in ultraviolet, R. M. Badger—1025(L)
Vibrational isotope effects, A. Adel—222
Of water vapor, vibrational, L. G. Bonner—458
Vibrations of tetrahedral pentatomic molecules, J. E. Rosenthal—730
Spectroscopy, technique
Simplified interval sorter, C. B. Ellis—341(A)
Wave numbers of infrared lines beyond λ10,000, H. D. Babcock—382
Stark effect
And fine structure of Balmer lines, N. P. Heydenburg—1069

Thermal conductivity
Of Bi single crystals in a magnetic field, M. T. Rodine—910
Of single crystal Zn; W-F ratio, C. A. Cinnamon—215
Thermal expansion
Of alloyed Bi crystals near eutectic melting point, A. Goetz, J. W. Buchta, T. L. Ho—538(L)
Of Bi single crystals near melting point, J. W. Buchta, A. Goetz—1092
Of Ni near Curie point, C. Williams—1011
Thermal radiation
Temperature scale for W, W. B. Nottingham—341(A)
Thermionic emission of electrons; Emitting surfaces (see also **Vacuum tubes**)
Emission from points, A. J. Dempster—165
Energy distribution of electrons under high fields, R. K. Dahlstrom, J. E. Henderson—323(A)
Reflection coefficient of electrons, M. J. Copley, T. E. Phipps—144(L)
From W as function of voltage, W. B. Nottingham—339(A)
Thermoelectric effects
In single crystals, H. P. Stabler—938(A)
Transmutation (see **Disintegration of nucleus**)

Vacuum tubes
Frequency variation of flicker effect, R. C. Meyer, E. A. Johnson—143(L)
Vapor pressure
Of Ca between 500 and 625°C, E. Rudberg—763; 937(A)

X-rays, absorption
Dependence of secondary structure on crystal form, V. P. Barton, G. A. Lindsay—362
L absorption in Bi, L. H. Carr—92
M-series of metallic bismuth, W. D. Phelps—357
Monochromatic rays of short wave-length, T. M. Hahn—149
Photoelectric effect for the *L*-shell, H. Hall, W. Rarita—143(L)
Secondary structure of edges from elements in certain cubic crystals, G. P. Brewington—861
Structure and width of *K* limits, W. H. Zinn—659
Structure and width of L_{III} limits of Ta, W and Au, H. Semat—688
Widths of the *L*-series lines, energy levels of Au(79), F. K. Richtmyer, S. W. Barnes, E. Ramberg—843
Of Xe, T. N. White—865
X-rays, diffraction, scattering, reflection, refraction and polarization
Calculation of mass scattering coefficients, L. M. Heil—58
Compton shift and velocity of electrons, G. E. M. Jauncey—667
Compton shift for 90°, effect of electron binding, P. A. Ross, P. Kirkpatrick—668
Diffraction patterns of a fluid at various densities, N. S. Gingrich, B. E. Warren—248
Diffuse scattering, Waller-Hartree theory, G. G. Harvey, P. S. Williams, G. E. M. Jauncey—365
Of ethyl ether in region of critical point, R. D. Spangler—698
Fourier integral analysis of powder patterns, B. E. Warren, N. S. Gingrich—368
Fourier series method for the determination of interatomic distances, A. L. Patterson—372
Of isopentane in region of critical point, C. A. Benz, G. W. Stewart—703
Lattice recovery of metals after cold working, J. E. Wilson, L. Thomassen—337(A)
Measuring index of refraction, H. C. Hoyt, G. A. Lindsay—337(A)
Pressure effect of x-rays scattered from N_2, G. G. Harvey—441
Refraction in quartz; absolute wave-lengths, J. A. Bearden, C. H. Shaw—759
Scattering monochromatic radiation from NaF, P. S. Williams—83
Scattering from sylvine, G. E. M. Jauncey, W. D. Claus—941
Scattering of the Th C″ γ-rays, C. C. Lauritsen, J. R. Oppenheimer—80(L)
Theory of broadening and position of Compton-line, F. Bloch—674
Variation of the *K* resonating strength, J. A. Wheeler, J. A. Bearden—755
X-rays, emission (see also **X-rays, spectra and spectroscopy, etc.**)
Depth of origin of characteristic rays, P. Kirkpatrick, D. G. Hare—831
Fluorescence yields from *K* shells, R. J. Stephenson—73(L); D. K. Berkey—74(L)
Intensities of satellites of $L\beta_2$, A. W. Pearsall—694
L-series and energy levels of Au, F. K. Richtmyer, S. W. Barnes, E. Ramberg—843
Line widths, correction for finite resolving power, L. G. Parratt—749
Origin of $K\alpha$-satellites, E. H. Kennard, E. Ramberg—1040
Probability of direct and fluorescent excitation of *K* level, K. B. Stoddard—837
Production of x-rays by swiftly moving Hg ions, W. M. Coates—542
Quadrupole lines in K-series of Ru, E. Wilhelmy—130

X-rays, emission (Continued)
Self-consistent fields and x-ray terms of Na, E. H. Kennard, E. Ramberg—1034
Widths of the *K*-series of W, F. K. Richtmyer, S. W. Barnes—352
X-rays, polarization
Of general X-radiation from thick targets, Y. F. Cheng—243
X-rays, spectra and spectroscopy, wave-length measurements (see also **X-rays, emission**)
Deviations in ionization measurements, R. C. Spencer—337(A)
Equation for crystal curves, R. C. Spencer—1108(L)
Grating and crystal wave-lengths, P. F. Gottling, J. A. Bearden—435(L)
High resolving power grating spectrometer, E. Dershem —337(A)
Line shapes by a double crystal spectrometer, L. P. Smith—343
Photo-densitometer charts of diffraction patterns, W. Soller—331(A)
Refraction in quartz; absolute wave-lengths, J. A. Bearden, C. H. Shaw—759
X-rays, tubes, apparatus
Curved crystal spectrograph, R. L. Doan—337(A)
Curved quartz crystal spectrograph, J. W. M. DuMond, B. B. Watson—316(L)
High voltage x-rays for medical uses, M. S. Livingston, M. A. Chaffee—330(A)
Intensities by use of G-M counter, G. L. Locher, D. P. LeGalley—1047

Zeeman effect
In As I, II and III, W. M. Barrows, J. B. Green—335(A)
In He, L. E. Kinsler, W. V. Houston—533(L)
In Ne, L. E. Kinsler—533(L)
Paschen-Back effect, *JJ*-coupling in Hg, J. B. Green, R. A. Loring—888; 335(A)